


Yule/Neilson Density Table

compiled by Huntington Witherill



The enclosed Yule/Neilson Density Table contains appropriate reflection densities for each step in a standard 15-point curve established in Photoshop. Based upon a D-Max reflection density above paper white, between D-Max-1.40 and D-Max-2.37, the enclosed table can be used as a substitute for the Excel-based Yule/Neilson Density Analysis spreadsheet. Consult the appropriate D-Max for your individual printed output to determine the appropriate reflection densities for each step within the curve.



Yule/Neilson Density Table • 1.40- 1.53 D-Max

1.40		1.41		1.42		1.43		1.44		1.45		1.46	
100%	1.40	100%	1.41	100%	1.42	100%	1.43	100%	1.44	100%	1.45	100%	1.46
98%	1.35	98%	1.36	98%	1.37	98%	1.38	98%	1.39	98%	1.40	98%	1.41
95%	1.28	95%	1.29	95%	1.30	95%	1.31	95%	1.32	95%	1.33	95%	1.33
90%	1.17	90%	1.18	90%	1.19	90%	1.20	90%	1.20	90%	1.21	90%	1.22
80%	0.98	80%	0.98	80%	0.99	80%	1.00	80%	1.00	80%	1.01	80%	1.01
70%	0.81	70%	0.81	70%	0.82	70%	0.82	70%	0.83	70%	0.83	70%	0.83
60%	0.66	60%	0.66	60%	0.66	60%	0.67	60%	0.67	60%	0.67	60%	0.68
50%	0.52	50%	0.52	50%	0.53	50%	0.53	50%	0.53	50%	0.53	50%	0.54
40%	0.40	40%	0.40	40%	0.40	40%	0.40	40%	0.41	40%	0.41	40%	0.41
30%	0.29	30%	0.29	30%	0.29	30%	0.29	30%	0.29	30%	0.29	30%	0.29
20%	0.18	20%	0.18	20%	0.19	20%	0.19	20%	0.19	20%	0.19	20%	0.19
10%	0.09	10%	0.09	10%	0.09	10%	0.09	10%	0.09	10%	0.09	10%	0.09
5%	0.04	5%	0.04	5%	0.04	5%	0.04	5%	0.04	5%	0.04	5%	0.05
3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03
0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00

1.47		1.48		1.49		1.50		1.51		1.52		1.53	
100%	1.47	100%	1.48	100%	1.49	100%	1.50	100%	1.51	100%	1.52	100%	1.53
98%	1.42	98%	1.43	98%	1.44	98%	1.45	98%	1.46	98%	1.46	98%	1.47
95%	1.34	95%	1.35	95%	1.35	95%	1.37	95%	1.38	95%	1.39	95%	1.39
90%	1.23	90%	1.24	90%	1.24	90%	1.25	90%	1.26	90%	1.27	90%	1.27
80%	1.02	80%	1.03	80%	1.03	80%	1.04	80%	1.04	80%	1.05	80%	1.05
70%	0.84	70%	0.84	70%	0.85	70%	0.85	70%	0.86	70%	0.86	70%	0.86
60%	0.68	60%	0.68	60%	0.69	60%	0.69	60%	0.69	60%	0.70	60%	0.70
50%	0.54	50%	0.54	50%	0.54	50%	0.55	50%	0.55	50%	0.55	50%	0.55
40%	0.41	40%	0.41	40%	0.42	40%	0.42	40%	0.42	40%	0.42	40%	0.42
30%	0.30	30%	0.30	30%	0.30	30%	0.30	30%	0.30	30%	0.30	30%	0.30
20%	0.19	20%	0.19	20%	0.19	20%	0.19	20%	0.19	20%	0.19	20%	0.19
10%	0.09	10%	0.09	10%	0.09	10%	0.09	10%	0.09	10%	0.09	10%	0.09
5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05
3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03
0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00

Yule/Neilson Density Table • 1.54- 1.67 D-Max

1.54		1.55		1.56		1.57		1.58		1.59		1.60	
100%	1.54	100%	1.55	100%	1.56	100%	1.57	100%	1.58	100%	1.59	100%	1.60
98%	1.48	98%	1.49	98%	1.50	98%	1.51	98%	1.52	98%	1.53	98%	1.55
95%	1.40	95%	1.41	95%	1.42	95%	1.42	95%	1.44	95%	1.44	95%	1.45
90%	1.28	90%	1.29	90%	1.29	90%	1.30	90%	1.31	90%	1.31	90%	1.32
80%	1.06	80%	1.06	80%	1.07	80%	1.08	80%	1.08	80%	1.08	80%	1.09
70%	0.87	70%	0.87	70%	0.88	70%	0.88	70%	0.89	70%	0.89	70%	0.89
60%	0.70	60%	0.71	60%	0.71	60%	0.71	60%	0.72	60%	0.72	60%	0.72
50%	0.56	50%	0.56	50%	0.56	50%	0.56	50%	0.57	50%	0.57	50%	0.57
40%	0.42	40%	0.43	40%	0.43	40%	0.43	40%	0.43	40%	0.43	40%	0.43
30%	0.30	30%	0.31	30%	0.31	30%	0.31	30%	0.31	30%	0.31	30%	0.31
20%	0.19	20%	0.20	20%	0.20	20%	0.20	20%	0.20	20%	0.20	20%	0.20
10%	0.09	10%	0.09	10%	0.09	10%	0.09	10%	0.10	10%	0.10	10%	0.10
5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05
3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03
0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00

1.61		1.62		1.63		1.64		1.65		1.66		1.67	
100%	1.61	100%	1.62	100%	1.63	100%	1.64	100%	1.65	100%	1.66	100%	1.67
98%	1.55	98%	1.56	98%	1.57	98%	1.58	98%	1.59	98%	1.60	98%	1.60
95%	1.46	95%	1.47	95%	1.48	95%	1.49	95%	1.49	95%	1.50	95%	1.51
90%	1.33	90%	1.33	90%	1.34	90%	1.35	90%	1.36	90%	1.36	90%	1.37
80%	1.10	80%	1.10	80%	1.11	80%	1.11	80%	1.12	80%	1.12	80%	1.13
70%	0.90	70%	0.90	70%	0.91	70%	0.91	70%	0.91	70%	0.92	70%	0.92
60%	0.73	60%	0.73	60%	0.73	60%	0.73	60%	0.74	60%	0.74	60%	0.74
50%	0.57	50%	0.58	50%	0.58	50%	0.58	50%	0.58	50%	0.58	50%	0.58
40%	0.43	40%	0.44	40%	0.44	40%	0.44	40%	0.44	40%	0.44	40%	0.45
30%	0.31	30%	0.31	30%	0.31	30%	0.31	30%	0.32	30%	0.32	30%	0.32
20%	0.20	20%	0.20	20%	0.20	20%	0.20	20%	0.20	20%	0.20	20%	0.20
10%	0.10	10%	0.10	10%	0.10	10%	0.10	10%	0.10	10%	0.10	10%	0.10
5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05
3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03
0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00

Yule/Neilson Density Table • 1.68- 1.81 D-Max

1.68		1.69		1.70		1.71		1.72		1.73		1.74	
100%	1.68	100%	1.69	100%	1.70	100%	1.71	100%	1.72	100%	1.73	100%	1.74
98%	1.61	98%	1.62	98%	1.63	98%	1.64	98%	1.65	98%	1.66	98%	1.67
95%	1.52	95%	1.53	95%	1.54	95%	1.54	95%	1.55	95%	1.56	95%	1.57
90%	1.38	90%	1.38	90%	1.39	90%	1.40	90%	1.40	90%	1.41	90%	1.42
80%	1.13	80%	1.14	80%	1.14	80%	1.15	80%	1.15	80%	1.16	80%	1.16
70%	0.93	70%	0.93	70%	0.93	70%	0.94	70%	0.94	70%	0.94	70%	0.95
60%	0.75	60%	0.75	60%	0.75	60%	0.76	60%	0.76	60%	0.76	60%	0.76
50%	0.59	50%	0.59	50%	0.59	50%	0.60	50%	0.60	50%	0.60	50%	0.60
40%	0.45	40%	0.45	40%	0.45	40%	0.45	40%	0.45	40%	0.46	40%	0.46
30%	0.32	30%	0.32	30%	0.32	30%	0.32	30%	0.32	30%	0.33	30%	0.33
20%	0.20	20%	0.20	20%	0.20	20%	0.21	20%	0.21	20%	0.21	20%	0.21
10%	0.10	10%	0.10	10%	0.10	10%	0.10	10%	0.10	10%	0.10	10%	0.10
5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05
3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03
0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00

1.75		1.76		1.77		1.78		1.79		1.80		1.81	
100%	1.75	100%	1.76	100%	1.77	100%	1.78	100%	1.79	100%	1.80	100%	1.81
98%	1.68	98%	1.69	98%	1.70	98%	1.71	98%	1.72	98%	1.73	98%	1.73
95%	1.58	95%	1.59	95%	1.60	95%	1.60	95%	1.61	95%	1.62	95%	1.63
90%	1.43	90%	1.43	90%	1.44	90%	1.45	90%	1.45	90%	1.46	90%	1.47
80%	1.17	80%	1.17	80%	1.18	80%	1.18	80%	1.19	80%	1.19	80%	1.20
70%	0.95	70%	0.96	70%	0.96	70%	0.97	70%	0.97	70%	0.97	70%	0.98
60%	0.77	60%	0.77	60%	0.77	60%	0.78	60%	0.78	60%	0.78	60%	0.78
50%	0.60	50%	0.61	50%	0.61	50%	0.61	50%	0.61	50%	0.61	50%	0.62
40%	0.46	40%	0.46	40%	0.46	40%	0.46	40%	0.46	40%	0.47	40%	0.47
30%	0.33	30%	0.33	30%	0.33	30%	0.33	30%	0.33	30%	0.33	30%	0.33
20%	0.21	20%	0.21	20%	0.21	20%	0.21	20%	0.21	20%	0.21	20%	0.21
10%	0.10	10%	0.10	10%	0.10	10%	0.10	10%	0.10	10%	0.10	10%	0.10
5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05
3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03
0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00

Yule/Neilson Density Table • 1.82- 1.95 D-Max

1.82		1.83		1.84		1.85		1.86		1.87		1.88	
100%	1.82	100%	1.83	100%	1.84	100%	1.85	100%	1.86	100%	1.87	100%	1.88
98%	1.75	98%	1.76	98%	1.77	98%	1.78	98%	1.78	98%	1.79	98%	1.80
95%	1.64	95%	1.65	95%	1.65	95%	1.66	95%	1.67	95%	1.68	95%	1.69
90%	1.47	90%	1.48	90%	1.49	90%	1.50	90%	1.50	90%	1.51	90%	1.52
80%	1.20	80%	1.21	80%	1.21	80%	1.22	80%	1.22	80%	1.23	80%	1.23
70%	0.98	70%	0.98	70%	0.99	70%	0.99	70%	0.99	70%	1.00	70%	1.00
60%	0.79	60%	0.79	60%	0.79	60%	0.79	60%	0.80	60%	0.80	60%	0.80
50%	0.62	50%	0.62	50%	0.62	50%	0.62	50%	0.63	50%	0.63	50%	0.63
40%	0.47	40%	0.47	40%	0.47	40%	0.47	40%	0.47	40%	0.48	40%	0.48
30%	0.33	30%	0.34	30%	0.34	30%	0.34	30%	0.34	30%	0.34	30%	0.34
20%	0.21	20%	0.21	20%	0.21	20%	0.22	20%	0.22	20%	0.22	20%	0.22
10%	0.10	10%	0.10	10%	0.10	10%	0.10	10%	0.10	10%	0.10	10%	0.10
5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05
3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03
0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00

1.89		1.90		1.91		1.92		1.93		1.94		1.95	
100%	1.89	100%	1.90	100%	1.91	100%	1.92	100%	1.93	100%	1.94	100%	1.95
98%	1.81	98%	1.82	98%	1.83	98%	1.84	98%	1.85	98%	1.86	98%	1.87
95%	1.70	95%	1.70	95%	1.71	95%	1.72	95%	1.73	95%	1.74	95%	1.75
90%	1.52	90%	1.53	90%	1.54	90%	1.54	90%	1.55	90%	1.56	90%	1.56
80%	1.24	80%	1.24	80%	1.25	80%	1.25	80%	1.26	80%	1.26	80%	1.27
70%	1.00	70%	1.01	70%	1.01	70%	1.01	70%	1.02	70%	1.02	70%	1.03
60%	0.81	60%	0.81	60%	0.81	60%	0.81	60%	0.82	60%	0.82	60%	0.82
50%	0.63	50%	0.63	50%	0.64	50%	0.64	50%	0.64	50%	0.64	50%	0.64
40%	0.48	40%	0.48	40%	0.48	40%	0.48	40%	0.48	40%	0.49	40%	0.49
30%	0.34	30%	0.34	30%	0.34	30%	0.34	30%	0.35	30%	0.35	30%	0.35
20%	0.22	20%	0.22	20%	0.22	20%	0.22	20%	0.22	20%	0.22	20%	0.22
10%	0.10	10%	0.10	10%	0.10	10%	0.10	10%	0.11	10%	0.11	10%	0.11
5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05
3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03
0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00

Yule/Neilson Density Table • 1.96- 2.09 D-Max

1.96		1.97		1.98		1.99		2.00		2.01		2.02	
100%	1.96	100%	1.97	100%	1.98	100%	1.99	100%	2.00	100%	2.01	100%	2.02
98%	1.88	98%	1.88	98%	1.89	98%	1.90	98%	1.91	98%	1.92	98%	1.93
95%	1.75	95%	1.76	95%	1.77	95%	1.78	95%	1.79	95%	1.80	95%	1.80
90%	1.57	90%	1.58	90%	1.58	90%	1.59	90%	1.60	90%	1.61	90%	1.62
80%	1.27	80%	1.27	80%	1.28	80%	1.28	80%	1.29	80%	1.29	80%	1.30
70%	1.03	70%	1.03	70%	1.04	70%	1.04	70%	1.04	70%	1.04	70%	1.05
60%	0.82	60%	0.83	60%	0.83	60%	0.83	60%	0.83	60%	0.84	60%	0.84
50%	0.65	50%	0.65	50%	0.65	50%	0.65	50%	0.65	50%	0.65	50%	0.65
40%	0.49	40%	0.49	40%	0.49	40%	0.49	40%	0.49	40%	0.49	40%	0.50
30%	0.35	30%	0.35	30%	0.35	30%	0.35	30%	0.35	30%	0.35	30%	0.35
20%	0.22	20%	0.22	20%	0.22	20%	0.22	20%	0.22	20%	0.22	20%	0.22
10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11
5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05
3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03
0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00

2.03		2.04		2.05		2.06		2.07		2.08		2.09	
100%	2.03	100%	2.04	100%	2.05	100%	2.06	100%	2.07	100%	2.08	100%	2.09
98%	1.94	98%	1.95	98%	1.96	98%	1.96	98%	1.97	98%	1.98	98%	1.99
95%	1.81	95%	1.82	95%	1.83	95%	1.83	95%	1.84	95%	1.85	95%	1.86
90%	1.62	90%	1.62	90%	1.63	90%	1.64	90%	1.64	90%	1.65	90%	1.66
80%	1.30	80%	1.31	80%	1.31	80%	1.32	80%	1.32	80%	1.32	80%	1.33
70%	1.05	70%	1.06	70%	1.06	70%	1.06	70%	1.06	70%	1.07	70%	1.07
60%	0.84	60%	0.84	60%	0.85	60%	0.85	60%	0.85	60%	0.85	60%	0.86
50%	0.66	50%	0.66	50%	0.66	50%	0.66	50%	0.66	50%	0.67	50%	0.67
40%	0.50	40%	0.50	40%	0.50	40%	0.50	40%	0.50	40%	0.50	40%	0.50
30%	0.35	30%	0.35	30%	0.36	30%	0.36	30%	0.36	30%	0.36	30%	0.36
20%	0.23	20%	0.23	20%	0.23	20%	0.23	20%	0.23	20%	0.23	20%	0.23
10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11
5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05
3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03
0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00

Yule/Neilson Density Table • 2.10- 2.23 D-Max

2.10		2.11		2.12		2.13		2.14		2.15		2.16	
100%	2.10	100%	2.11	100%	2.12	100%	2.13	100%	2.14	100%	2.15	100%	2.16
98%	2.00	98%	2.01	98%	2.02	98%	2.03	98%	2.04	98%	2.05	98%	2.05
95%	1.87	95%	1.87	95%	1.88	95%	1.89	95%	1.90	95%	1.90	95%	1.91
90%	1.66	90%	1.67	90%	1.68	90%	1.68	90%	1.69	90%	1.70	90%	1.70
80%	1.33	80%	1.34	80%	1.35	80%	1.35	80%	1.35	80%	1.35	80%	1.36
70%	1.07	70%	1.08	70%	1.08	70%	1.08	70%	1.08	70%	1.09	70%	1.09
60%	0.86	60%	0.86	60%	0.86	60%	0.86	60%	0.86	60%	0.87	60%	0.87
50%	0.67	50%	0.67	50%	0.67	50%	0.67	50%	0.67	50%	0.68	50%	0.68
40%	0.51	40%	0.51	40%	0.51	40%	0.51	40%	0.51	40%	0.51	40%	0.51
30%	0.36	30%	0.36	30%	0.36	30%	0.36	30%	0.36	30%	0.36	30%	0.36
20%	0.23	20%	0.23	20%	0.23	20%	0.23	20%	0.23	20%	0.23	20%	0.23
10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11
5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05
3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03
0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00

2.17		2.18		2.19		2.20		2.21		2.22		2.23	
100%	2.17	100%	2.18	100%	2.19	100%	2.20	100%	2.21	100%	2.22	100%	2.23
98%	2.06	98%	2.07	98%	2.08	98%	2.09	98%	2.10	98%	2.11	98%	2.12
95%	1.92	95%	1.93	95%	1.93	95%	1.94	95%	1.95	95%	1.96	95%	1.96
90%	1.71	90%	1.72	90%	1.72	90%	1.73	90%	1.74	90%	1.74	90%	1.75
80%	1.36	80%	1.37	80%	1.37	80%	1.38	80%	1.38	80%	1.38	80%	1.39
70%	1.10	70%	1.10	70%	1.10	70%	1.10	70%	1.11	70%	1.11	70%	1.11
60%	0.87	60%	0.88	60%	0.88	60%	0.88	60%	0.88	60%	0.88	60%	0.89
50%	0.68	50%	0.68	50%	0.68	50%	0.69	50%	0.69	50%	0.69	50%	0.69
40%	0.51	40%	0.51	40%	0.52	40%	0.52	40%	0.52	40%	0.52	40%	0.52
30%	0.37	30%	0.37	30%	0.37	30%	0.37	30%	0.37	30%	0.37	30%	0.37
20%	0.23	20%	0.23	20%	0.23	20%	0.23	20%	0.23	20%	0.23	20%	0.23
10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11
5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05
3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03
0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00

Yule/Neilson Density Table • 2.24- 2.37 D-Max

2.24		2.25		2.26		2.27		2.28		2.29		2.30	
100%	2.24	100%	2.25	100%	2.26	100%	2.27	100%	2.28	100%	2.29	100%	2.30
98%	2.13	98%	2.14	98%	2.15	98%	2.16	98%	2.17	98%	2.17	98%	2.18
95%	1.97	95%	1.98	95%	1.99	95%	1.99	95%	2.00	95%	2.01	95%	2.02
90%	1.75	90%	1.76	90%	1.77	90%	1.77	90%	1.78	90%	1.78	90%	1.79
80%	1.39	80%	1.40	80%	1.40	80%	1.41	80%	1.41	80%	1.41	80%	1.42
70%	1.12	70%	1.12	70%	1.12	70%	1.12	70%	1.13	70%	1.13	70%	1.13
60%	0.89	60%	0.89	60%	0.89	60%	0.89	60%	0.90	60%	0.90	60%	0.90
50%	0.69	50%	0.69	50%	0.70	50%	0.70	50%	0.70	50%	0.70	50%	0.70
40%	0.52	40%	0.52	40%	0.52	40%	0.52	40%	0.53	40%	0.53	40%	0.53
30%	0.37	30%	0.37	30%	0.37	30%	0.37	30%	0.37	30%	0.37	30%	0.37
20%	0.23	20%	0.23	20%	0.23	20%	0.23	20%	0.24	20%	0.24	20%	0.24
10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11
5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05
3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03
0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00
2.31		2.32		2.33		2.34		2.35		2.36		2.37	
100%	2.31	100%	2.32	100%	2.33	100%	2.34	100%	2.35	100%	2.36	100%	2.37
98%	2.19	98%	2.20	98%	2.21	98%	2.22	98%	2.23	98%	2.24	98%	2.25
95%	2.03	95%	2.03	95%	2.04	95%	2.05	95%	2.06	95%	2.06	95%	2.07
90%	1.80	90%	1.80	90%	1.81	90%	1.81	90%	1.82	90%	1.82	90%	1.83
80%	1.42	80%	1.43	80%	1.43	80%	1.43	80%	1.44	80%	1.44	80%	1.45
70%	1.14	70%	1.14	70%	1.14	70%	1.15	70%	1.15	70%	1.16	70%	1.16
60%	0.90	60%	0.90	60%	0.91	60%	0.91	60%	0.91	60%	0.91	60%	0.91
50%	0.70	50%	0.70	50%	0.71	50%	0.71	50%	0.71	50%	0.71	50%	0.71
40%	0.53	40%	0.53	40%	0.53	40%	0.53	40%	0.53	40%	0.53	40%	0.54
30%	0.37	30%	0.38	30%	0.38	30%	0.38	30%	0.38	30%	0.38	30%	0.38
20%	0.24	20%	0.24	20%	0.24	20%	0.24	20%	0.24	20%	0.24	20%	0.24
10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11	10%	0.11
5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05	5%	0.05
3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03	3%	0.03
0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00